

EARTH BARS



LML Products Ltd

T: 01249 810000

E: sales@lmlproducts.co.uk

W: www.lmlproducts.co.uk

- STANDARD

Multiple contact Earth Bars provide a convenient common connector for a Main Earth Point. Our Standard Earth Bars are manufactured from 50mm x 6mm hard drawn copper bar rated at 815A complete with M10 brass stud assemblies on 35mm centres. They are mounted onto a black powder-coated galvanised steel base with M10 x 35 reinforced polyester insulators.

CAT REF	DESCRIPTION	DIMENSIONS
EBAR4	4 Way Earth Bar	300 x 100 x 90
EBAR6	6 Way Earth Bar	300 x 100 x 90
EBAR8	8 Way Earth Bar	450 x 100 x 90
EBAR10	10 Way Earth Bar	450 x 100 x 90
EBAR12	12 Way Earth Bar	520 x 100 x 90
EBAR14	14 Way Earth Bar	650 x 100 x 90
EBAR16	16 Way Earth Bar	650 x 100 x 90
EBAR18	18 Way Earth Bar	800 x 100 x 90
EBAR20	20 Way Earth Bar	800 x 100 x 90
EBAR22	22 Way Earth Bar	900 x 100 x 90
EBAR24	24 Way Earth Bar	1050 x 100 x 90
EBAR26	26 Way Earth Bar	1050 x 100 x 90
EBAR28	28 Way Earth Bar	1250 x 100 x 90
EBAR30	30 Way Earth Bar	1250 x 100 x 90

Stocked Items Available
on Next Day Service

Volume Discounts Available,
Please Call for Prices

Enhanced or Modified Specifications
Available - Please Send Us Details



- SINGLE DISCONNECTING LINK

The single disconnecting link enables multiple earth rods or systems to be tested or inspected with a temporary break in an earth or lightning connection. Earth Bars are manufactured from 50mm x 6mm hard drawn copper bar rated at 815A complete with M10 brass stud assemblies on 35mm centres. They are mounted onto a black powder-coated galvanised steel base with M10 x 35 reinforced polyester insulators.

CAT REF	DESCRIPTION	DIMENSIONS
EBAR4-1	4 Way Earth Single Link	375 x 100 x 90
EBAR6-1	6 Way Earth Bar Single Link	475 x 100 x 90
EBAR8-1	8 Way Earth Bar Single Link	575 x 100 x 90
EBAR10-1	10 Way Earth Bar Single Link	725 x 100 x 90
EBAR12-1	12 Way Earth Bar Single Link	825 x 100 x 90
EBAR14-1	14 Way Earth Bar Single Link	925 x 100 x 90
EBAR16-1	16 Way Earth Bar Single Link	1025 x 100 x 90
EBAR18-1	18 Way Earth Bar Single Link	1125 x 100 x 90
EBAR20-1	20 Way Earth Bar Single Link	1275 x 100 x 90
EBAR22-1	22 Way Earth Bar Single Link	1375 x 100 x 90
EBAR24-1	24 Way Earth Bar Single Link	1475 x 100 x 90
EBAR26-1	26 Way Earth Bar Single Link	1575 x 100 x 90
EBAR28-1	28 Way Earth Bar Single Link	1725 x 100 x 90
EBAR30-1	30 Way Earth Bar Single Link	1825 x 100 x 90



EARTH BARS

- TWIN DISCONNECTING LINK

The twin disconnecting link enables multiple systems to be tested or inspected with a temporary break in earth or lightning connections. Earth Bars are manufactured from 50mm x 6mm hard drawn copper bar rated at 815A complete with M10 brass stud assemblies on 35mm centres. They are mounted onto a black powder-coated galvanised steel base with M10 x 35 reinforced polyester insulators.

CAT REF	DESCRIPTION	DIMENSIONS
EBAR4-2	4 Way Earth Bar Twin Link	tba
EBAR6-2	6 Way Earth Bar Twin Link	550 x 100 x 90
EBAR8-2	8 Way Earth Bar Twin Link	650 x 100 x 90
EBAR10-2	10 Way Earth Bar Twin Link	800 x 100 x 90
EBAR12-2	12 Way Earth Bar Twin Link	900 x 100 x 90
EBAR14-2	14 Way Earth Bar Twin Link	1000 x 100 x 90
EBAR16-2	16 Way Earth Bar Twin Link	1100 x 100 x 90
EBAR18-2	18 Way Earth Bar Twin Link	1200 x 100 x 90
EBAR20-2	20 Way Earth Bar Twin Link	1350 x 100 x 90
EBAR22-2	22 Way Earth Bar Twin Link	1450 x 100 x 90
EBAR24-2	24 Way Earth Bar Twin Link	1550 x 100 x 90
EBAR26-2	26 Way Earth Bar Twin Link	1650 x 100 x 90
EBAR28-2	28 Way Earth Bar Twin Link	1800 x 100 x 90
EBAR30-2	30 Way Earth Bar Twin Link	1900 x 100 x 90



LML Products Ltd

T: 01249 810000

E: sales@lmlproducts.co.uk

W: www.lmlproducts.co.uk

Stocked Items Available
on Next Day Service

Volume Discounts Available,
Please Call for Prices

Enhanced or Modified Specifications
Available - Please Send Us Details



EARTH BARS



LML Products Ltd

T: 01249 810000

E: sales@lmlproducts.co.uk

W: www.lmlproducts.co.uk

Stocked Items Available
on Next Day Service

Volume Discounts Available,
Please Call for Prices

Enhanced or Modified Specifications
Available - Please Send Us Details

EARTH BAR SPEC	STOCK CODE
4 WAY	EBAR4/LML
4 WAY + LINK	EBAR4-1/LML
6 WAY	EBAR6/LML
6 WAY + LINK	EBAR6-1/LML
8 WAY	EBAR8/LML
8 WAY + LINK	EBAR8-1/LML
10 WAY	EBAR10/LML
10 WAY + LINK	EBAR10-1/LML